

## **SAFETY DATA SHEET**

## 1. Identification

Product identifier	ERTECH 3037	
Other means of identification	None.	
Recommended use	Not available.	
<b>Recommended restrictions</b>	None known.	
Manufacturer/Importer/Suppl	ier/Distributor information	
Company Name	ErgonArmor, a division of Ergon Asphalt & Emulsions, Inc.	
Address	2829 Lakeland Drive	
	Jackson, MS 39232	
	USA	
After hours telephone number	1-800-222-7122	
Normal work hours telephone number	1-877-982-7667	
Website	www.ergonarmor.com	
E-mail	sds@ergon.com	
Emergency 24-hour telephone number	CHEMTREC: North America 1-800-424-9300 International 1-800-527-3887	
Information on operation hours	8:00 a.m. to 5:00 p.m.	

## 2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Serious eye damage/eye irritation	Category 1
	Sensitization, skin	Category 1
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	

Label elements



	· · · · · · · · · · · · · · · · · · ·
Signal word	Danger
Hazard statement	May cause an allergic skin reaction. Causes serious eye damage.
Precautionary statement	
Prevention	Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing must not be allowed out of the workplace. Observe good industrial hygiene practices. Wear eye protection/face protection.
Response	Wash contaminated clothing before reuse. IF ON SKIN: Gently wash with plenty of soap and water. Specific treatment see Section 4 of this SDS. If skin irritation or rash occurs: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	Not applicable.

## 3. Composition/information on ingredients

#### Mixtures

Chemical name	Common name and synonyms	CAS number	%
ASPHALT		8052-42-4	35 - 45
.ALPHAISODECYLOMEG OXYPOLY(OXY-1,2-ETHANE		61827-42-7	<1
Other components below reportable levels			61.43
4 First-aid measures			

#### I. First-aid measures

Inhalation	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms develop or persist.
Skin contact	If clothing sticks to the skin, do not remove. Lotion or hand cream may aid in the removal of asphalt. Wash contact areas with soap and water. If needed, seek medical attention.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. DO NOT induce vomiting. Get medical attention immediately. If ingestion of a large amount does occur, call a poison control center immediately.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

## 5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media	Foam. Dry chemical powder. Carbon dioxide (CO2). Water. Do not use water jet as an extinguisher, as this will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.	
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection.	
Fire fighting equipment/instructions	ALWAYS stay away from tanks engulfed in flame. Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. Move containers from fire area if you can do so without risk. In the event of fire, cool tanks with water spray.	
Specific methods	In the event of fire and/or explosion do not breathe fumes. In the event of fire, cool tanks with water spray.	
General fire hazards	No unusual fire or explosion hazards noted.	
6. Accidental release measures		

## 6. Accidental release measures

Personal precautions, Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of protective equipment and low areas. Do not touch damaged containers or spilled material unless wearing appropriate emergency procedures protective clothing. Ventilate closed spaces before entering them. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up	This product is miscible in water.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers. Ventilate area and avoid breathing vapors or mist. For large spills, dike far ahead of liquid spill for later disposal. Do not release into sewers or waterways.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Avoid prolonged exposure. Use only in well-ventilated areas. Hydrogen sulfide, a very highly toxic gas, may be present with this material. Keep face clear of tank and/or tank car openings. Good personal hygiene is necessary. Wash hands and contaminated areas with water and soap before leaving the work site.
Conditions for safe storage	Prevent electrostatic charge huild-up by using common bonding and grounding techniques. Store in

Conditions for safe storage,<br/>including anyPrevent electrostatic charge build-up by using common bonding and grounding techniques. Store in<br/>original tightly closed container. Store in a well-ventilated place.incompatibilities

## 8. Exposure controls/personal protection

• • •	•
Occupational exposure limits	This mixture has no ingredients that have PEL, TLV, or other recommended exposure limit
<b>Biological limit values</b>	No biological exposure limits noted for the ingredient(s).
Appropriate engineering controls	Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.
Individual protection measures	s, such as personal protective equipment
Eye/face protection	Chemical goggles and face shield are recommended. Wear safety glasses with side shields (or goggles).
Skin protection	
Hand protection	Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style gloves.
Other	Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapor contact. Plastic or rubber gloves, apron and boots.
Respiratory protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

Flammability (solid, gas)	Not available.
Evaporation rate	Not available.
Flash point	> 212.0 °F (> 100.0 °C) Cleveland Open Cup
Initial boiling point and boiling range	212 °F (100 °C)
Melting point/freezing point	32 °F (0 °C)
рН	11 - 12
Odor threshold	Not available.
Odor	Mild Petroleum Odor
Color	Black
Form	Liquid. Viscous
Physical state	Liquid.
Appearance	Heavy-consistency emulsion.
•	

### Upper/lower flammability or explosive limits

Upper/lower flammability or e	explosive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	0.95 - 1.05 g/cm3
Relative density temperature	39.2 °F (4 °C)
Solubility(ies)	
Solubility (water)	Slightly
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	> 700 °F (> 371.11 °C)
Decomposition temperature	Not available.
Viscosity	500 cP Approx. (77 °F (25 °C))
Other information	
VOC	0.2 lb/gal maximum

## 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport
Chemical stability	Stable under normal temperature conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials. Do not overheat product.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Upon decomposition, this product may yield sulfur dioxide, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. Hydrogen sulfide.

## **11.** Toxicological information

#### Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.	
Skin contact	May be irritating to the skin.	
Eye contact	Causes serious eye damage.	
Ingestion	Expected to be a low ingestion hazard.	
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.	
Information on toxicological effects		
Acute toxicity	Not available.	

# Skin corrosion/irritationProlonged skin contact may cause temporary irritation.Serious eye damage/eye<br/>irritationMay be irritating to eyes.

#### Respiratory or skin sensitization

<b>Respiratory sensitization</b>	Not available.
Skin sensitization	May cause allergic skin disorders in sensitive individuals.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicit	y
----------------	---

This product contains crystalline silica. Silica is a known carcinogen; however in this encapsulatec form the normal routes of exposure are unavailable.

#### IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens Not listed.

Reproductive toxicity	Not classified.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not available.
Chronic effects	Prolonged inhalation may be harmful.
Further information	This product has no known adverse effect on human health.

## **12. Ecological information**

Ecotoxicity	Not expected to be harmful to aquatic organisms.
Persistence and degradability	No data is available on the degradability of this product.
<b>Bioaccumulative potential</b>	No data available.
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in accordance with all applicable regulations. No components are identified as hazardous wastes. Disposal recommendations are based on uncontaminated material.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company. Not applicable.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Avoid discharge into water courses or onto the ground.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

## 14. Transport information

#### DOT

Not regulated as dangerous goods.

#### ΙΑΤΑ

Not regulated as dangerous goods.

## IMDG

Not regulated as dangerous goods.

#### Transport in bulk according to Not available. Annex II of MARPOL 73/78 and the IBC Code

## 15. Regulatory information

## **US federal regulations** All components are on the U.S. EPA TSCA Inventory List.

## TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

## CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency rele	aso notification		
Not regulated.	ase notification		
OSHA Specifically Regulat	ed Substances	(29 CFR 1910.1001-1052)	
Not regulated.			
Superfund Amendments and F SARA 302 Extremely haza Not listed.			
Classified hazard categories	Respiratory or s	skin sensitization	
SARA 313 (TRI reporting) Not regulated.			
Other federal regulations			
Clean Air Act (CAA) Sectio	n 112 Hazardou	us Air Pollutants (HAPs) List	
Not regulated.			
	n 112(r) Accide	ental Release Prevention (40 CFR 68.130)	
Not regulated.			
Safe Drinking Water Act (SDWA)	Not regulated.		
US state regulations	WARNING: This	s product contains a chemical known to the State of Ca	alifornia to cause cancer.
<b>California Proposition 65</b>			
WARNING: This product	contains a chemic	cal known to the State of California to cause cancer.	
California Proposition	65 - CRT: Liste	d date/Carcinogenic substance	
ASPHALT (CAS 8052	-42-4)	Listed: January 1, 1990	
International Inventories			
Country(s) or region	Inventory na	me	On inventory (yes/no)*
Australia	Australian Inve	ntory of Chemical Substances (AICS)	Yes
Canada	Domestic Subst	tances List (DSL)	Yes
Canada	Non-Domestic S	Substances List (NDSL)	No
China	Inventory of Ex	isting Chemical Substances in China (IECSC)	Yes
Europe	European Inver	ntory of Existing Commercial Chemical Substances	Yes

United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
	pnents of this product comply with the inventory requirements administered by the governing country(s) e components of the product are not listed or exempt from listing on the inventory administered by the g	overning

European List of Notified Chemical Substances (ELINCS)

Inventory of Existing and New Chemical Substances (ENCS)

Philippine Inventory of Chemicals and Chemical Substances

Taiwan Chemical Substance Inventory (TCSI)

#### 16. Other information, including date of preparation or last revision

Existing Chemicals List (ECL)

New Zealand Inventory

(EINECS)

(PICCS)

Issue date	04-23-2015
Revision date	04-19-2018
Version #	02
Further information	$\operatorname{HMIS}\nolimits \ensuremath{\mathbb{R}}$ is a registered trade and service mark of the NPCA.
NFPA ratings	Health: 2 Flammability: 1 Instability: 0

Europe

Japan

Korea

New Zealand

Philippines

Taiwan

No

No

Yes

Yes

Yes

Yes

References	ACGIH EPA: AQUIRE database NLM: Hazardous Substances Data Base US. IARC Monographs on Occupational Exposures to Chemical Agents IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information in the sheet was written based on the best knowledge and experience currently available.
Revision information	This document has undergone significant changes and should be reviewed in its entirety