# SAFETY DATA SHEET



### 1. Identification

Product identifier R19XX Series Part A

Other means of identification

Synonyms R1920

**Recommended use**Not available.
Recommended restrictions
None known.

Manufacturer/Importer/Supplier/Distributor information

**Company Name** ErgonArmor, a division of Ergon Asphalt & Emulsions, Inc.

Address 2829 Lakeland Drive Jackson, MS 39232

USA

After hours telephone

number

1-800-222-7122

Normal work hours telephone number

1-877-982-7667

Website www.ergonarmor.com
E-mail sds@ergon.com

Emergency 24-hour telephone number

CHEMTREC: North America 1-800-424-9300 International 1-800-527-3887

**Information on operation** 8:00 a.m. to 5:00 p.m.

hours

# 2. Hazard(s) identification

**Physical hazards** Not classified.

**Health hazards** Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2
Sensitization, skin Category 1
Carcinogenicity Category 1B

**Environmental hazards**Not classified. **OSHA defined hazards**Not classified.

**Label elements** 



Signal word Danger

**Hazard statement** May cause cancer. Causes skin irritation. May cause an allergic skin reaction. Causes eye irritation.

**Precautionary statement** 

**Prevention** Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective

gloves/protective clothing/eye protection/face protection.

**Response** Specific treatment see Section 4 of this SDS. IF ON SKIN: Wash with plenty of soap and water. IF

IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical

advice/attention. Take off contaminated clothing and wash before reuse.

**Storage** Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Material name: R19XX Series Part A

SDS US

1 / 9

Hazard(s) not otherwise classified (HNOC)

None known.

**Supplemental information** 

Not applicable.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
BISPHENOL A-(EPICHLORHYDRIN) EPOXY RESIN		25068-38-6	30 - 50
CASHEW, NUTSHELL LIQ., GLYCIDYL ETHERS		171263-25-5	1 - 10
QUARTZ		14808-60-7	1 - 10
EPICHLOROHYDRIN		106-89-8	<0.2
Other components below reportable le	evels		54.98

#### 4. First-aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists. Wash

contaminated clothing before reuse.

**Eye contact** Rinse with water. Continue to rinse for at least 15 minutes. Get medical attention if irritation

persists after washing.

**Ingestion** Rinse mouth. Do not induce vomiting. If vomiting occurs, the head should be kept low so that

Direct contact with eyes may cause temporary irritation.

stomach vomit doesn't enter the lungs. Call a POISON CENTER or doctor/physician if you feel

unwell.

Most important

symptoms/effects, acute and

delayed **Indication of immediate** 

medical attention and special

treatment needed **General information**  Treat symptomatically.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

#### 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed:

Special protective equipment

and precautions for firefighters

Fire fighting

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Move containers from fire area if you can do so without risk.

equipment/instructions

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Material name: R19XX Series Part A SDS US Methods and materials for containment and cleaning up This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

# 7. Handling and storage

**Precautions for safe handling** 

Avoid prolonged exposure. Observe good industrial hygiene practices.

Conditions for safe storage,

Store in original tightly closed container.

including any incompatibilities

## 8. Exposure controls/personal protection

### Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Co Components	Туре	Value	Form
EPICHLOROHYDRIN (CAS 106-89-8)	PEL	19 mg/m3	
		5 ppm	
QUARTZ (CAS 14808-60-7)	PEL	0.05 mg/m3	Respirable dust.
US. OSHA Table Z-3 (29 CFR 1910.10	000)		
Components	Туре	Value	Form
QUARTZ (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable.
		2.4 mppcf	Respirable.
US. ACGIH Threshold Limit Values			
Components	Туре	Value	Form
EPICHLOROHYDRIN (CAS 106-89-8)	TWA	0.5 ppm	
QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide to Chemica	al Hazards		
Components	Туре	Value	Form
QUARTZ (CAS 14808-60-7)	TWA	0.05 mg/m3	Respirable dust.

**Biological limit values** 

Appropriate engineering

No biological exposure limits noted for the ingredient(s).

**Exposure guidelines** 

**US - California OELs: Skin designation** 

EPICHLOROHYDRIN (CAS 106-89-8) Can be absorbed through the skin.

US - Minnesota Haz Subs: Skin designation applies

EPICHLOROHYDRIN (CAS 106-89-8) Skin designation applies.

**US - Tennessee OELs: Skin designation** 

EPICHLOROHYDRIN (CAS 106-89-8) Can be absorbed through the skin.

**US ACGIH Threshold Limit Values: Skin designation** 

EPICHLOROHYDRIN (CAS 106-89-8) Can be absorbed through the skin.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

EPICHLOROHYDRIN (CAS 106-89-8) Can be absorbed through the skin.

controls occupational exposure limit is not exceeded.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses; chemical goggles (if splashing is possible).

Material name: R19XX Series Part A SDS US 3/8

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined

Skin protection

**Hand protection** Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style

gloves.

Other Wear suitable protective clothing.

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not

been established), an approved respirator must be worn.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

**General hygiene** Always observe good personal hygiene measures, such as washing after handling the material and considerations before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to

remove contaminants.

### 9. Physical and chemical properties

**Appearance** Viscous liquid

**Physical state** Liquid. **Form** Liquid. Color Beige. Odor Benign **Odor threshold** Not available. Not available. Melting point/freezing point Not available.

Initial boiling point and

boiling range

212 °F (100 °C) estimated

Flash point > 500.0 °F (> 260.0 °C) Tag Closed Cup

**Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower Not available.

(%)

Flammability limit -

upper (%)

Not available.

**Explosive limit - lower** 

(%)

Not available.

**Explosive limit - upper** 

(%)

Not available.

Vapor pressure Not available. Not available. Vapor density **Relative density** Not available.

Solubility(ies)

Solubility (water) Not available. **Partition coefficient** Not available.

(n-octanol/water)

**Auto-ignition temperature** Not available.

> 1112 °F (> 600 °C) **Decomposition temperature** 

**Viscosity** Not available.

Other information

**Density** 14.24 lb/gal estimated Percent volatile 0.05 % estimated

Specific gravity 1.71

## 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport

Chemical stability Material is stable under normal conditions.

Material name: R19XX Series Part A 5876 Version #: 03 Revision date: 12-10-2019 Issue date: 04-06-2015 Possibility of hazardous

reactions

Hazardous polymerization does not occur.

**Conditions to avoid** 

Avoid temperatures exceeding the flash point. Contact with incompatible materials.

**Incompatible materials** 

Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

# 11. Toxicological information

# Information on likely routes of exposure

**Inhalation** No adverse effects due to inhalation are expected.

**Skin contact** Causes skin irritation. May cause an allergic skin reaction.

**Eye contact** Causes eye irritation.

**Ingestion** May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

### Information on toxicological effects

**Acute toxicity** 

Components Species Test Results

EPICHLOROHYDRIN (CAS 106-89-8)

Acute Oral

LD50 Rat 90 mg/kg

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Causes eye irritation.

#### Respiratory or skin sensitization

**Respiratory sensitization** Not available.

**Skin sensitization** Causes skin irritation. May cause an allergic skin reaction.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** May cause cancer.

### IARC Monographs. Overall Evaluation of Carcinogenicity

EPICHLOROHYDRIN (CAS 106-89-8) 2A Probably carcinogenic to humans.

QUARTZ (CAS 14808-60-7) 1 Carcinogenic to humans.

## OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

QUARTZ (CAS 14808-60-7) Cancer

### **US. National Toxicology Program (NTP) Report on Carcinogens**

EPICHLOROHYDRIN (CAS 106-89-8) Reasonably Anticipated to be a Human Carcinogen.

QUARTZ (CAS 14808-60-7) Known To Be Human Carcinogen.

**Reproductive toxicity** This product is not expected to cause reproductive or developmental effects

Specific target organ toxicity Not

Not classified.

- single exposure

Specific target organ toxicity

Not classified.

- repeated exposure

**Aspiration hazard** Not available.

**Chronic effects** Prolonged inhalation may be harmful.

#### 12. Ecological information

**Ecotoxicity** The product contains a substance which is toxic to aquatic organisms

Material name: R19XX Series Part A

SDS US

F07C - Marrian #4 03 - Political data: 13 10 2010 - Janua data: 04 06 2015

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Product Species		Species	Test Results
R19XX Series Part A			
Aquatic			
Crustacea	EC50	Daphnia	1.067 mg/l, 48 hours estimated
Fish	LC50	Fish	4.4766 mg/l, 96 hours estimated
Components		Species	Test Results
EDICULODOLIVODIN (	CAC 10C 00 0\		

EPICHLOROHYDRIN (CAS 106-89-8)

Aquatic

Fish LC50 Fathead minnow (Pimephales promelas) 9.1 - 12.3 mg/l, 96 hours

**Persistence and degradability** No data is available on the degradability of this product.

**Bioaccumulative potential** No data available. Partition coefficient n-octanol / water (log Kow)

**EPICHLOROHYDRIN** 0.45

No data available. Mobility in soil

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

# 13. Disposal considerations

**Disposal instructions** When this product as supplied is to be discarded as waste, it does not meet the definition of a

RCRA waste under 40 CFR 261.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues /

unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product

residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

#### 14. Transport information

DOT

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

**Transport in bulk according to** Not available.

Annex II of MARPOL 73/78

and the IBC Code

### 15. Regulatory information

**US federal regulations** All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

EPICHLOROHYDRIN (CAS 106-89-8) Listed.

SARA 304 Emergency release notification

EPICHLOROHYDRIN (CAS 106-89-8) 100 LBS

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

QUARTZ (CAS 14808-60-7) Cancer

lung effects

immune system effects

kidney effects

Material name: R19XX Series Part A SDS US

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### **SARA 302 Extremely hazardous substance**

Chemical name	CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)

EPICHLOROHYDRIN 106-89-8 100 1000

**SARA 311/312** Yes

**Hazardous chemical** 

Classified hazard Skin corrosion or irritation

**categories** Serious eye damage or eye irritation Respiratory or skin sensitization

Carcinogenicity

Specific target organ toxicity (single or repeated exposure)

### SARA 313 (TRI reporting)

Not regulated.

### Other federal regulations

### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

EPICHLOROHYDRIN (CAS 106-89-8)

### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

EPICHLOROHYDRIN (CAS 106-89-8)

Safe Drinking Water Act

Not regulated.

(SDWA)

#### **US state regulations**

# **California Proposition 65**



WARNING: California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is

not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

### California Proposition 65 - CRT: Listed date/Carcinogenic substance

EPICHLOROHYDRIN (CAS 106-89-8)

QUARTZ (CAS 14808-60-7)

Listed: October 1, 1987

Listed: October 1, 1988

#### California Proposition 65 - CRT: Listed date/Male reproductive toxin

EPICHLOROHYDRIN (CAS 106-89-8) Listed: September 1, 1996

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

EPICHLOROHYDRIN (CAS 106-89-8) QUARTZ (CAS 14808-60-7)

#### **International Inventories**

Material name: R19XX Series Part A

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes

Country(s) or region Inventory name On inventory (yes/no)\*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

 Issue date
 04-06-2015

 Revision date
 12-10-2019

Version # 03

NFPA ratings Health: 2

Flammability: 0 Instability: 0

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

**Revision information** Composition / Information on Ingredients: Ingredients

Fire-fighting measures: Specific hazards arising from the chemical

Physical & Chemical Properties: Multiple Properties

**GHS:** Classification

Material name: R19XX Series Part A SDS US