SAFETY DATA SHEET



1. Identification

| Product identifier | Ertech 7365 | | | |
|--|---|--|--|--|
| Other means of identification | None. | | | |
| Recommended use | White roof coating | | | |
| Recommended restrictions | None known. | | | |
| Manufacturer/Importer/Supplier/Distributor information | | | | |
| Company Name | ErgonArmor, a division of Ergon Asphalt & Emulsions, Inc. | | | |
| Address | 2829 Lakeland Drive Jackson, MS 39232 | | | |
| | | | | |
| | USA | | | |
| After hours telephone number | 1-800-222-7122 | | | |
| Normal work hours telephone number | 1-877-982-7667 | | | |
| Website | www.ergonarmor.com | | | |
| E-mail | sds@ergon.com | | | |
| Emergency 24-hour telephone number | CHEMTREC: North America 1-800-424-9300 International 1-800-527-3887 | | | |
| Information on operation hours | 8:00 a.m. to 5:00 p.m. | | | |

2. Hazard(s) identification

| Physical hazards | Not classified. |
|--|---|
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | The mixture does not meet the criteria for classification. |
| Precautionary statement | |
| Prevention | Observe good industrial hygiene practices. |
| Response | Wash hands after handling. |
| Storage | Store away from incompatible materials. |
| Disposal | Dispose of contents/container in accordance with local/regional/national/international regulations. |
| Hazard(s) not otherwise classified (HNOC) | None known. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|-------------------------|--------------------------|------------|---------|
| WATER | | 7732-18-5 | 30 - 50 |
| PROPRIETARY INGREDIENTS | | N/A | 20 - 40 |
| Nepheline Syenite | | 37244-96-5 | 10 - 20 |
| TITANIUM DIOXIDE | | 13463-67-7 | 1 - 10 |

4. First-aid measures

| Inhalation | If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms develop or persist. |
|--|---|
| Skin contact | If clothing sticks to the skin, do not remove. Lotion or hand cream may aid in the removal of asphalt. Wash contact areas with soap and water. If needed, seek medical attention. |
| Eye contact | Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. |
| Ingestion | Rinse mouth. DO NOT induce vomiting. Get medical attention immediately. If ingestion of a large amount does occur, call a poison control center immediately. |
| Most important symptoms/effects, acute and delayed | Direct contact with eyes may cause temporary irritation. |
| Indication of immediate medical attention and special treatment needed | Treat symptomatically. |
| General information | Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. |

5. Fire-fighting measures

| Suitable extinguishing media | Foam. Dry chemical powder. Carbon dioxide (CO2). |
|---|---|
| Unsuitable extinguishing media | Water. Do not use water jet as an extinguisher, as this will spread the fire. |
| Specific hazards arising from the chemical | During fire, gases hazardous to health may be formed: |
| Special protective equipment and precautions for firefighters | Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection. |
| Fire fighting equipment/instructions | ALWAYS stay away from tanks engulfed in flame. Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. Move containers from fire area if you can do so without risk. In the event of fire, cool tanks with water spray. |
| Specific methods | In the event of fire and/or explosion do not breathe fumes. In the event of fire, cool tanks with water spray. |
| General fire hazards | No unusual fire or explosion hazards noted. |

6. Accidental release measures

incompatibilities

| Personal precautions, protective equipment and emergency procedures | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. For personal protection, see section 8 of the SDS. |
|---|---|
| Methods and materials for containment and cleaning up | This product is miscible in water. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers. Ventilate area and avoid breathing vapors or mist. For large spills, dike far ahead of liquid spill for later disposal. Do not release into sewers or waterways. |
| Environmental precautions | Avoid discharge into drains, water courses or onto the ground. |
| 7. Handling and storage | |
| Precautions for safe handling | Avoid prolonged exposure. Use only in well-ventilated areas. Good personal hygiene is necessary. Wash hands and contaminated areas with water and soap before leaving the work site. |
| Conditions for safe storage, including any | Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in original tightly closed container. Store in a well-ventilated place. Do not allow material to freeze. |

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) Form Value Components Type TITANIUM DIOXIDE (CAS PFL 15 mg/m3 Total dust. 13463-67-7) US. OSHA Table Z-3 (29 CFR 1910.1000) Value Form Components Type TITANIUM DIOXIDE (CAS TWA 5 mg/m3 Respirable fraction. 13463-67-7) 15 mg/m3 Total dust. 50 mppcf Total dust. 15 mppcf Respirable fraction. US. ACGIH Threshold Limit Values Components Type Value TITANIUM DIOXIDE (CAS TWA 10 mg/m3 13463-67-7) **Biological limit values** No biological exposure limits noted for the ingredient(s). Provide adequate ventilation, including appropriate local extraction, to ensure that the defined Appropriate engineering occupational exposure limit is not exceeded. controls Individual protection measures, such as personal protective equipment Eye/face protection Wear safety glasses; chemical goggles (if splashing is possible). Skin protection Hand protection Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style gloves. Other Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapor contact. **Respiratory protection** When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. **Thermal hazards** Wear appropriate thermal protective clothing, when necessary. **General hygiene** Always observe good personal hygiene measures, such as washing after handling the material and considerations before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

| Appearance | White. Viscous. Liquid. | | |
|--|-------------------------|--|--|
| Physical state | Liquid. | | |
| Form | Not available. | | |
| Color | White. | | |
| Odor | Mild Odor | | |
| Odor threshold | Not available. | | |
| рН | 8.3 - 8.9 | | |
| Melting point/freezing point | Not available. | | |
| Initial boiling point and boiling range | Not available. | | |
| Flash point | > 200.0 °F (> 93.3 °C) | | |
| Evaporation rate | Not available. | | |
| Flammability (solid, gas) | Not available. | | |
| Upper/lower flammability or explosive limits | | | |
| Flammability limit - lower (%) | Not available. | | |
| Flammability limit - upper (%) | Not available. | | |

| Explosive limit - lower (%) | Not available. |
|--|----------------|
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not available. |
| Vapor density | Not available. |
| Relative density | Not available. |
| Solubility(ies) | |
| Solubility (water) | Not available. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not available. |
| Decomposition temperature | Not available. |
| Viscosity | Not available. |
| Other information | |
| Specific gravity | 1.21 @72°F |
| 10. Stability and reactive | ity |

| Reactivity | The product is stable and non-reactive under normal conditions of use, storage and transport | | |
|---------------------------------------|--|--|--|
| Chemical stability | Stable under normal temperature conditions. | | |
| Possibility of hazardous reactions | Hazardous polymerization does not occur. | | |
| Conditions to avoid | Avoid temperatures exceeding the flash point. Contact with incompatible materials. Do not overheat product. | | |
| Incompatible materials | Strong oxidizing agents. | | |
| Hazardous decomposition products | Upon decomposition, this product may yield sulfur dioxide, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. Hydrogen sulfide. | | |

11. Toxicological information

Information on likely routes of exposure

| , Inhalation | Prolonged inhalation may be harmful. | | | |
|--|--|--|--|--|
| Skin contact | May be irritating to the skin. | | | |
| Eye contact | May be irritating to eyes. | | | |
| Ingestion | Expected to be a low ingestion hazard. | | | |
| Symptoms related to the physical, chemical and toxicological characteristics | Not available. | | | |
| Information on toxicological effects | | | | |
| Acute toxicity | Not available. | | | |
| Skin corrosion/irritation | Prolonged skin contact may cause temporary irritation. | | | |
| Serious eye damage/eye irritation | May be irritating to eyes. | | | |
| Respiratory or skin sensitizatio | n | | | |
| Respiratory sensitization | Not available. | | | |
| Skin sensitization | Not available. | | | |
| Germ cell mutagenicity | Not available. | | | |
| Carcinogenicity | | | | |
| IARC Monographs. Overall | Evaluation of Carcinogenicity | | | |
| TITANIUM DIOXIDE (CAS | 13463-67-7) 2B Possibly carcinogenic to humans. | | | |
| OSHA Specifically Regulate | d Substances (29 CFR 1910.1001-1052) | | | |
| Not regulated. | | | | |
| | ogram (NTP) Report on Carcinogens | | | |
| Not listed. | | | | |

Reproductive toxicity Not available.

Specific target organ toxicity Not available. - single exposure Specific target organ toxicity Not available

| - repeated exposure | |
|---------------------|----------------|
| Aspiration hazard | Not available. |

12. Ecological information

Ecotoxicity

| Product | | Species | Test Results | |
|----------------------------------|---|---|-------------------------------------|--|
| Ertech 7365 | | | | |
| Aquatic | | | | |
| Crustacea | EC50 | Daphnia | 12072.5742 mg/l, 48 hours estimated | |
| Fish | LC50 | Fish | 2912.3445 mg/l, 96 hours estimated | |
| Persistence and degradability | y No data is available on the degradability of this substance. | | | |
| Bioaccumulative potential | Not available. | Not available. | | |
| Mobility in soil | Not available. | Not available. | | |
| Other adverse effects | | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. | | |

13. Disposal considerations

| Disposal instructions | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in accordance with all applicable regulations. No components are identified as hazardous wastes. Disposal recommendations are based on uncontaminated material. |
|--|---|
| Local disposal regulations | Dispose in accordance with all applicable regulations. |
| Hazardous waste code | The waste code should be assigned in discussion between the user, the producer and the waste disposal company. Not applicable. |
| Waste from residues / unused products | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Avoid discharge into water courses or onto the ground. |
| Contaminated packaging | Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. |

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not available. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

Classified hazard
categoriesRespiratory or skin sensitization
Carcinogenicity

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

US state regulations

California Proposition 65

California Proposition 65 - CRT: Listed date/Carcinogenic substance

TITANIUM DIOXIDE (CAS 13463-67-7) Listed: September 2, 2011

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22,

69502.3, subd. (a))

TITANIUM DIOXIDE (CAS 13463-67-7)

International Inventories

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|-----------------------------|--|------------------------|
| Australia | Australian Inventory of Chemical Substances (AICS) | Yes |
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | Yes |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory | Yes |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | Yes |
| Taiwan | Taiwan Chemical Substance Inventory (TCSI) | Yes |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

| Issue date | 08-19-2019 |
|---------------|--|
| Revision date | 10-02-2019 |
| Version # | 02 |
| NFPA ratings | Health: 1 Flammability: 0 Instability: 0 |
| Disclaimer | The information provided in this Safety Data Sheet is correct to the best of our knowledge information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. |

Hazard(s) identification: Response Hazard(s) identification: Prevention Hazard(s) identification: Hazard statement Composition / Information on Ingredients: Disclosure Overrides Physical & Chemical Properties: Multiple Properties